



SECTION DATA:
 $I_{xx} = 20\,673 \text{ mm}^4$
 $I_{yy} = 195\,543 \text{ mm}^4$
 $\text{Theta} = 1.0$
 $\text{RadG}_x = 10. \text{ mm}$
 $\text{RadG}_y = 30. \text{ mm}$
 $X_{Q_{\text{left}}} = 38.4 \text{ mm}$
 $X_{Q_{\text{right}}} = 38.4 \text{ mm}$
 $Y_{C_{\text{top}}} = 23.9 \text{ mm}$
 $Y_{C_{\text{bot}}} = 7.7 \text{ mm}$
 $Z_{xx_{\text{top}}} = 866 \text{ mm}^3$
 $Z_{xx_{\text{bot}}} = 2\,673 \text{ mm}^3$
 $Z_{yy_{\text{left}}} = 5\,099 \text{ mm}^3$
 $Z_{yy_{\text{right}}} = 539 \text{ mm}^3$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				AREA	218.7	SQ MM	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER		G. JAMES EXTRUSION Co.		
				WEIGHT	0.593	KG M		CUSTOMER PART NAME		NO.		
				PERIMETER	276.6	MM		76.70 x 31.60 x 1.60 CHANNEL				
				ANOD PERIM	276.6	MM		SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
				PAINT PERIM	276.6	MM		1:1				
				C CIRCLE DIA	83.	MM		DRAWN		CHECK	DATE	DWG. NO.
				FACTOR	467.			SPG			16/06/97	910-184
				ALLOY	6063							
				TEMPER	T6							
NO	DATE	DR	REVISION									