



SECTION DATA:  
 $I_{xx} = 18\ 118\ \text{mm}^4$   
 $I_{yy} = 30\ 904\ \text{mm}^4$   
 $\text{Theta} = 1.0$   
 $\text{RadG}_x = 10.0\ \text{mm}$   
 $\text{RadG}_y = 13.0\ \text{mm}$   
 $X_{\text{Left}} = 17.5\ \text{mm}$   
 $X_{\text{Right}} = 17.5\ \text{mm}$   
 $Y_{\text{Top}} = 12.5\ \text{mm}$   
 $Y_{\text{Bot}} = 12.5\ \text{mm}$   
 $Z_{\text{Top}} = 1\ 449\ \text{mm}$   
 $Z_{\text{Bot}} = 1\ 449\ \text{mm}$   
 $Z_{\text{Left}} = 1\ 766\ \text{mm}$   
 $Z_{\text{Right}} = 1\ 035\ \text{mm}$

0.40 RADIUS ON ALL OUTSIDE CORNERS  
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

<b>A</b>				AREA	<b>181.8</b>	SQ MM	 <b>G. James Extrusion Co.</b> A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER		<b>G. JAMES EXTRUSION Co.</b>	
				WEIGHT	<b>0.493</b>	KG M		CUSTOMER PART NAME		NO.	
				PERIMETER	<b>227.2</b>	MM		<b>35 x 25 x 1.6 RECT. BOX</b>			
				ANOD PERIM	<b>120.0</b>	MM		SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
				PAINT PERIM	<b>120.0</b>	MM		<b>2:1</b>			
				C CIRCLE DIA	<b>43.</b>	MM		DRAWN		CHECK	
				FACTOR	<b>461.</b>			<b>SPG</b>		<b>28/10/94</b>	
				ALLOY	<b>6063</b>			DATE		DWG. NO.	
				TEMPER	<b>T6</b>			<b>28/10/94</b>		<b>940-053</b>	
1	18/11/94	SPG	1.60 WALL WAS 1.50								
NO	DATE	DR	REVISION								