


SECTION NO.  
940-200



TOTAL SURFACE EXPOSED

SECTION DATA:  
 $I_{xx} = 922\,621\text{ mm}^4$   
 $I_{yy} = 10\,076\,981\text{ mm}^4$   
 $\text{Theta} = 1.0$   
 $\text{RadG}_x = 21.0\text{ mm}$   
 $\text{RadG}_y = 69.0\text{ mm}$   
 $X_{\text{Right}} = 100.0\text{ mm}$   
 $X_{\text{Left}} = 100.0\text{ mm}$   
 $Y_{\text{Top}} = 25.0\text{ mm}$   
 $Y_{\text{Bot}} = 25.0\text{ mm}$   
 $Z_{x\text{top}} = 36\,905\text{ mm}$   
 $Z_{x\text{bot}} = 36\,905\text{ mm}$   
 $Z_{y\text{right}} = 100\,770\text{ mm}$   
 $Z_{y\text{left}} = 100\,770\text{ mm}$

0.40 RADIUS ON ALL OUTSIDE CORNERS  
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			<b>B</b>	AREA	2104.0	SQ MM	 <b>G. James Extrusion Co.</b> A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1378, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER	G. JAMES EXTRUSION Co.		
				WEIGHT	5.702	KG M		CUSTOMER PART NAME	NO. 200 x 50 x 6 x 4 RECT. BOX		
				PERIMETER	960.0	MM		SCALE	1:1		
				ANGD PERIM	500.0	MM		TOLERANCES IN ACCORDANCE WITH AS 1886-1988 APPLY UNLESS OTHERWISE SPECIFIED			
				PANT PERIM	500.0	MM		DRAWN	CHECK	DATE	DWG. NO.
				C CIRCLE DIA	206.	MM		SPG		07/06/96	940-200
				FACTOR	168.						
				ALLOY	6106						
				TEMPER	T5						
1	02/11/98	PAD	SECTION NO. WAS 983-071 C/N 3155								
NO	DATE	DR	REVISION								