








**I BEAM**

SECTION NUMBER	DESCRIPTION (mm)	MASS KG/M	X VALUE mm <sup>4</sup>	Y VALUE mm <sup>4</sup>	APPL
971 450	125 X 125 X 9/9	8.786	8,581,277	2,930,622	S
971 770	240 X 110 X 4 X 6 "I" BEAM	6.128	1, 327, 448	22, 392, 971	S
ICT 034	280 X 100 X 5/5	6.507	827,751	28,011,572	S
ICT 040	280 X 100 X 6/7	8.258	1,163,309	36,375,387	S




**I BEAM**

SECTION NUMBER	DESCRIPTION (mm)	MASS KG/M	X VALUE mm <sup>4</sup>	Y VALUE mm <sup>4</sup>	APPL
971 760	220 X 100 X 5/10	8.166	1,667,848	25,530,167	S
ICT 102	240 X 100 X 6/6/10	8.031	1,309,588	2,663,170	S
ICT 124	241 X 100 X 6/6/17.3	10.764	32,489,063	S	



## I BEAM

SECTION NUMBER	DESCRIPTION (mm)	MASS KG/M	X VALUE mm <sup>4</sup>	Y VALUE mm <sup>4</sup>	APPL
971 650	176 X 80 X 5/8	5.690	681,917	10,866,591	S
ICT 084	202.10 X 90.6 X 5.2/10.2	7.648	1,263,411	19,862,933	S
971 750	216 X 80 X 5/8	6.410	686,292	18,000,781	S
971 780	250 X 110 X 5/7	7.419	1,544,048	28,453,064	S



## I BEAM

SECTION NUMBER	DESCRIPTION (mm)	MASS KG/M	X VALUE mm <sup>4</sup>	Y VALUE mm <sup>4</sup>	APPL
971 070	100 X 75 X 4.75/6.00	3.558	2,245,974	401,807	S
971 080	101.6 X 76.2 X 4.75/6.35	3.976	2,614,403	470,247	S
971 500	130 X 80 X 4.75/6.00	4.116	4,330,384	489,303	S
ICT 054	130 X 80 X 4.75/6.34	4.390	542,949	4,677,476	S
971 093	140 X 50 X 4/4	2.568	83,211	2,699,208	S

