


**131 SERIES SLIDING WINDOW (48mm FRAME)
BRICK VENEER CONSTRUCTION**


1 of 3



- ▷ Fixings shown are for illustration purposes only. All fixings to be assessed by a G.James Engineer to suit the design criteria of the project.
- ▷ Sill must be level side-to-side, front-to-back, and supported at fixing points.

**131 SERIES SLIDING WINDOW (48mm FRAME)
BRICK VENEER CONSTRUCTION**

2 of 3




**DETAIL 3 of 4
JAMB**

▷ Fixings shown are for illustration purposes only. All fixings to be assessed by a G.James Engineer to suit the design criteria of the project.

**131 SERIES SLIDING WINDOW (48mm FRAME)
BRICK VENEER CONSTRUCTION - FLASHING AT HEAD**

3 of 3




**DETAIL 4 of 4
HEAD FLASHING**

▷ Fixings shown are for illustration purposes only. All fixings to be assessed by a G.James Engineer to suit the design criteria of the project.

**131 SERIES SLIDING WINDOW (48mm FRAME)
BRICK VENEER CONSTRUCTION - (ALT. SQUARE SET WINDOW FRAME)**


1 of 2



- ▷ Fixings shown are for illustration purposes only. All fixings to be assessed by a G.James Engineer to suit the design criteria of the project.
- ▷ Sill must be level side-to-side, front-to-back, and supported at fixing points.

**131 SERIES SLIDING WINDOW (48mm FRAME)
BRICK VENEER CONSTRUCTION - (ALT. SQUARE SET WINDOW FRAME)**

2 of 2



**DETAIL 3 of 3
JAMB**

▷ Fixings shown are for illustration purposes only. All fixings to be assessed by a G.James Engineer to suit the design criteria of the project.