



SECTION DATA:
 $I_{xx} = 3\ 144\ \text{mm}^4$
 $I_{yy} = 3\ 144\ \text{mm}^4$
 Theta = 1.0 °
 RadG_x = 7. mm
 RadG_y = 7. mm
 XQ_{Left} = 10.0 mm
 XC_{Right} = 10.0 mm
 YO_{Top} = 10.0 mm
 YO_{Bot} = 10.0 mm
 Z_{xTop} = 314 mm
 Z_{xBot} = 314 mm
 Z_{yLeft} = 314 mm
 Z_{yRight} = 314 mm

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			A	AREA 70.9 SQ MM WEIGHT 0.192 KG M PERIMETER 118.1 MM ANOD PERIM 62.8 MM PAINT PERIM 100.0 MM C CIRCLE DIA 20. MM FACTOR 615. ALLOY 6063 TEMPER T6	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION Co.		
						CUSTOMER PART NAME NO. 20 x 1.2 ROUND TUBE		
					SCALE 2:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
NO	DATE	DR	REVISION		DRAWN SPG	CHECK	DATE 12/07/96	DWG. NO. 950-027