



= 2/3 STD TOLERANCE

SECTION DATA:
 $I_{xx} = 25\,368 \text{ mm}^4$
 $I_{yy} = 25\,368 \text{ mm}^4$
 $\text{Theta} = 0.$
 $\text{RadG}_x = 7. \text{ mm}$
 $\text{RadG}_y = 7. \text{ mm}$
 $X_{Q_{\text{left}}} = 13.5 \text{ mm}$
 $X_{C_{\text{right}}} = 13.5 \text{ mm}$
 $Y_{C_{\text{top}}} = 13.5 \text{ mm}$
 $Y_{C_{\text{bot}}} = 13.5 \text{ mm}$
 $Z_{xx_{\text{top}}} = 1\,879 \text{ mm}^3$
 $Z_{xx_{\text{bot}}} = 1\,879 \text{ mm}^3$
 $Z_{yy_{\text{left}}} = 1\,879 \text{ mm}^3$
 $Z_{yy_{\text{right}}} = 1\,879 \text{ mm}^3$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			B	AREA	477.5	SQ MM	 <p>G. James Extrusion Co. A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890</p>	CUSTOMER		G. JAMES EXTRUSION Co.		
				WEIGHT	1.294	KG M		CUSTOMER PART NAME		NO.		
				PERIMETER	119.4	MM		27.0 x 8.0 ROUND TUBE				
				ANOD PERIM	84.8	MM		SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
				PAINT PERIM	100.0	MM		2:1				
				C CIRCLE DIA	27.	MM		DRAWN		CHECK	DATE	DWG. NO.
				FACTOR	92.			SPG			07/07/95	950-066
				ALLOY	6063							
				TEMPER	T6							
1	12/03/99	PAD	.35 TO WAS 0.53 TOL C/N 3290									
NO	DATE	DR	REVISION									