



* = 1/2 STD TOLERANCE

SECTION DATA:

$I_{xx} = 16\,435 \text{ mm}^4$
 $I_{yy} = 16\,435 \text{ mm}^4$
 $\text{Theta} = 0.$
 $\text{RadG}_x = 9. \text{ mm}$
 $\text{RadG}_y = 9. \text{ mm}$
 $X_{Q_{\text{left}}} = 14.0 \text{ mm}$
 $X_{C_{\text{right}}} = 14.0 \text{ mm}$
 $Y_{C_{\text{top}}} = 14.0 \text{ mm}$
 $Y_{Q_{\text{bot}}} = 14.0 \text{ mm}$
 $Z_{xx_{\text{top}}} = 1\,174 \text{ mm}^3$
 $Z_{xx_{\text{bot}}} = 1\,174 \text{ mm}^3$
 $Z_{yy_{\text{left}}} = 1\,174 \text{ mm}^3$
 $Z_{yy_{\text{right}}} = 1\,174 \text{ mm}^3$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			A	AREA 200.3 SQ MM WEIGHT 0.543 KG M PERIMETER 160.2 MM ANOD PERIM 88.0 MM PAINT PERIM 100.0 MM C CIRCLE DIA 28. MM FACTOR 295. ALLOY 6063 TEMPER T6	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION Co.	
					CUSTOMER PART NAME NO. 28.0 x 2.50 ROUND TUBE		
					SCALE 2:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
1	12/03/99	PAD	0.35 TOL WAS 0.50 TOL C/N 3291		DRAWN SPG	CHECK DATE 05/12/97	DWG. NO. 950-069
NO	DATE	DR	REVISION				