


SECTION DATA:
 $I_{xx} = 28\ 813\ \text{mm}^4$
 $I_{yy} = 28\ 813\ \text{mm}^4$
 Theta = 45.0°
 RadG_x = 10. mm
 RadG_y = 10. mm
 XQ_{left} = 15.8 mm
 XQ_{right} = 15.9 mm
 YQ_{top} = 15.8 mm
 YQ_{bot} = 15.9 mm
 Z_{xx top} = 1 818 mm
 Z_{xx bot} = 1 818 mm
 Z_{yy left} = 1 818 mm
 Z_{yy right} = 1 818 mm

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			A	AREA 278.5 SQ MM WEIGHT 0.755 KG M PERIMETER 179.7 MM ANOD PERIM 99.6 MM PAINT PERIM 100.0 MM C CIRCLE DIA 32. MM FACTOR 238. ALLOY 6063 TEMPER T6	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION CO.		
						CUSTOMER PART NAME NO. 31.7 x 3.1 ROUND TUBE		
					SCALE 2:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
NO	DATE	DR	REVISION		DRAWN JSO	CHECK JSO	DATE 07/04/93	DWG. NO. 950-081