



SECTION DATA:
 $I_{xx} = 31\,991 \text{ mm}^4$
 $I_{yy} = 31\,991 \text{ mm}^4$
 Theta = 1.0
 $RadG_x = 9. \text{ mm}$
 $RadG_y = 9. \text{ mm}$
 $X_{C_{left}} = 15.3 \text{ mm}$
 $X_{C_{right}} = 15.3 \text{ mm}$
 $Y_{C_{top}} = 15.3 \text{ mm}$
 $Y_{C_{bot}} = 15.3 \text{ mm}$
 $Z_{xx_{top}} = 2\,098 \text{ mm}^3$
 $Z_{xx_{bot}} = 2\,098 \text{ mm}^3$
 $Z_{yy_{left}} = 2\,098 \text{ mm}^3$
 $Z_{yy_{right}} = 2\,098 \text{ mm}^3$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				A		AREA	367.6	SQ MM	 <p>G. James Extrusion Co.</p> <p>A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890</p>	CUSTOMER			G. JAMES EXTRUSION CO.		
						WEIGHT	0.996	KG M		CUSTOMER PART NAME NO.			30.5 x 4.5 ROUND TUBE		
						PERIMETER	163.4	MM		SCALE			TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
						ANOD PERIM	95.8	MM		2:1					
						PAINT PERIM	100.0	MM		DRAWN			CHECK		
						C CIRCLE DIA	31.	MM		BPW			DATE		
						FACTOR	164.			05/09/91			DWG. NO.		
						ALLOY	6063			950-082					
						TEMPER	T6								
1	19/8/91	BPW	30.5 DIA WAS 30	REVISION											