



SECTION DATA:
 $I_{xx} = 35\,639 \text{ mm}^4$
 $I_{yy} = 35\,639 \text{ mm}^4$
 Theta = 1.0°
 $RadG_x = 14. \text{ mm}$
 $RadG_y = 14. \text{ mm}$
 $X_{Q_{left}} = 20.0 \text{ mm}$
 $X_{Q_{right}} = 20.0 \text{ mm}$
 $Y_{Q_{top}} = 20.0 \text{ mm}$
 $Y_{Q_{bot}} = 20.0 \text{ mm}$
 $Z_{x_{top}} = 1\,782 \text{ mm}^3$
 $Z_{x_{bot}} = 1\,782 \text{ mm}^3$
 $Z_{y_{left}} = 1\,782 \text{ mm}^3$
 $Z_{y_{right}} = 1\,782 \text{ mm}^3$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			A	AREA 193.0 SQ MM WEIGHT 0.523 KG M PERIMETER 241.3 MM ANOD PERIM 125.7 MM PAINT PERIM 125.7 MM C CIRCLE DIA 40. MM FACTOR 461. ALLOY 6063 TEMPER T6	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION Co.	
					CUSTOMER PART NAME NO. 40 x 1.6 ROUND TUBE		
					SCALE 2:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
NO	DATE	DR	REVISION		DRAWN A.T.	CHECK DATE 28/08/87	DWG. NO. 950-109