


SECTION DATA:
 $I_{xx} = 106\,226 \text{ mm}^4$
 $I_{yy} = 106\,226 \text{ mm}^4$
 Theta = 1.0
 RadGx = 15. mm
 RadGy = 15. mm
 $X_{O_{left}} = 23.0 \text{ mm}$
 $X_{O_{right}} = 23.0 \text{ mm}$
 $Y_{O_{top}} = 23.0 \text{ mm}$
 $Y_{O_{bot}} = 23.0 \text{ mm}$
 $Z_{x_{top}} = 4\,619 \text{ mm}^3$
 $Z_{x_{bot}} = 4\,619 \text{ mm}^3$
 $Z_{y_{left}} = 4\,619 \text{ mm}^3$
 $Z_{y_{right}} = 4\,619 \text{ mm}^3$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			A	AREA 467.3 SQ MM WEIGHT 1.266 KG M PERIMETER 267.0 MM ANOD PERIM 144.5 MM PAINT PERIM 144.5 MM C CIRCLE DIA 46. MM FACTOR 211. ALLOY 6063 TEMPER T6	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION Co. CUSTOMER PART NAME NO. 46.0 x 3.5 ROUND TUBE
NO	DATE	DR	REVISION		SCALE 2:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED
					DRAWN SPG	CHECK
					DATE 24/05/95	DWG. NO. 950-138