



FULLY EXPOSED SURFACE

SECTION DATA:
 $I_{xx} = 471\,794 \text{ mm}^4$
 $I_{yy} = 471\,794 \text{ mm}^4$
 Theta = 1.0
 $\text{RadG}_x = 23. \text{ mm}$
 $\text{RadG}_y = 23. \text{ mm}$
 $X_{Q_{\text{Right}}} = 35.0 \text{ mm}$
 $X_{Q_{\text{Left}}} = 35.0 \text{ mm}$
 $Y_{Q_{\text{Top}}} = 35.0 \text{ mm}$
 $Y_{Q_{\text{Bot}}} = 35.0 \text{ mm}$
 $Z_{xx_{\text{top}}} = 13\,480 \text{ mm}$
 $Z_{xx_{\text{bot}}} = 13\,480 \text{ mm}$
 $Z_{yy_{\text{right}}} = 13\,480 \text{ mm}$
 $Z_{yy_{\text{left}}} = 13\,480 \text{ mm}$

0.40 RADIUS ON ALL OUTSIDE CORNERS
 UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			A			G. JAMES EXTRUSION Co.			
				868.2		70.0 x 4.20 ROUND TUBE			
				2.353		1:1			
				413.4		SPG		19/06/97	950-265
				219.9					
				219.9					
				70.					
				176.					
				6063					
				T6					