



THIS SECTION IS SUITABLE FOR NV6082 T6 APPLICATIONS FOR SYDNEY PRESS ONLY

TOTAL SURFACE EXPOSED

SECTION DATA:

$I_{xx} = 3\,571\,398 \text{ mm}^4$

$I_{yy} = 3\,571\,398 \text{ mm}^4$

Theta = 0°

RadG_x = 43 mm

RadG_y = 43 mm

XC_{Right} = 63.5 mm

XC_{Left} = 63.5 mm

YC_{top} = 63.5 mm

YC_{bot} = 63.5 mm

Z_{xx}_{top} = 56 242 mm³

Z_{xx}_{bot} = 56 242 mm³

Z_{yy}_{right} = 56 242 mm³

Z_{yy}_{left} = 56 242 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				A				© COPYRIGHT 2004 THIS DRAWING IS THE PROPERTY OF G.JAMES EXTRUSION CO. PTY LTD ALL RIGHTS RESERVED		CUSTOMER	
				AREA	1916.4	SQ MM		 <p>G. James Extrusion Co.</p> <p>A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2690</p>	G. JAMES EXTRUSION Co.		
			WEIGHT	5.193	KG M		CUSTOMER PART NAME NO.		127 x 5.0 ROUND TUBE		
			PERIMETER	766.5	MM		SCALE		TOLERANCES IN ACCORDANCE WITH AS/NZS 1866:1997 APPLY UNLESS OTHERWISE SPECIFIED		
			ANOD PERIM	399.0	MM		1:1				
			PAINT PERIM	399.0 (0.0)	MM						
			C CIRCLE DIA	127	MM						
			FACTOR	148							
			ALLOY	6063							
			TEMPER	T6							
1	06/07/12	SPG	'DNV' NOTE ADDED C/N 9380								
NO	DATE	DR	REVISION					DRAWN	CHECK	DATE	DWG. NO.
								SPG		01/04/97	950-478