



SECTION DATA:
 $I_{xx} = 911 \text{ mm}^4$
 $I_{yy} = 911 \text{ mm}^4$
 Theta = 45.
 RadG_x = 5. mm
 RadG_y = 5. mm
 X_{Qleft} = 10.7 mm
 X_{Qright} = 4.3 mm
 Y_{Qtop} = 10.7 mm
 Y_{Qbot} = 4.3 mm
 Z_{xx top} = 85 mm³
 Z_{xx bot} = 212 mm³
 Z_{yy left} = 85 mm³
 Z_{yy right} = 212 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				AREA 42.8 SQ MM WEIGHT 0.116 KG M PERIMETER 60.0 MM ANOD PERIM 60.0 MM PAINT PERIM 100.0 MM C CIRCLE DIA 21. MM FACTOR 518. ALLOY 6063 TEMPER T6	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION	
				CUSTOMER PART NAME NO. 15 x 15 x 1.5 ANGLE			
				SCALE 5:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
NO	DATE	DR	REVISION	DRAWN SPG	CHECK	DATE 03/05/95	DWG. NO. 900-011