



SECTION NO.  
901-040




SECTION DATA:  
 $I_{xx} = 4\,320 \text{ mm}^4$   
 $I_{yy} = 7\,618 \text{ mm}^4$   
 Theta =  $58.0^\circ$   
 RadG<sub>x</sub> = 6. mm  
 RadG<sub>y</sub> = 8. mm  
 X<sub>QLeft</sub> = 17.0 mm  
 X<sub>QRight</sub> = 8.0 mm  
 Y<sub>QTop</sub> = 14.5 mm  
 Y<sub>QBot</sub> = 5.5 mm  
 Z<sub>xxTop</sub> = 299 mm<sup>3</sup>  
 Z<sub>xxBot</sub> = 779 mm<sup>3</sup>  
 Z<sub>yyLeft</sub> = 449 mm<sup>3</sup>  
 Z<sub>yyRight</sub> = 537 mm<sup>3</sup>

0.40 RADIUS ON ALL OUTSIDE CORNERS  
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			AREA	126.0	SQ MM
			WEIGHT	0.341	KG M
			PERIMETER	90.0	MM
			ANOD PERIM	90.0	MM
			PAINT PERIM	100.0	MM
			C CIRCLE DIA	32.	MM
			FACTOR	264.	
			ALLOY	6063	
			TEMPER	T6	



A.C.N 010 828 234  
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009  
 PO BOX 1376, EAGLE FARM BC, 4009  
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION Co.			
CUSTOMER PART NAME		NO.	
25 X 20 X 3 ANGLE			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
2:1			
DRAWN	CHECK	DATE	DWG. NO.
BPW		16/08/91	901-040