



SECTION DATA:
 $I_{xx} = 2\,861 \text{ mm}^4$
 $I_{yy} = 15\,973 \text{ mm}^4$
 Theta = 75.0°
 RadG_x = 6. mm
 RadG_y = 13. mm
 XQ_{Left} = 26.0 mm
 XC_{Right} = 14.0 mm
 YO_{Top} = 16.0 mm
 YO_{Bot} = 4.0 mm
 Z_{xx}top = 178 mm³
 Z_{xx}bot = 724 mm³
 Z_{yy}left = 613 mm³
 Z_{yy}right = 205 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

NO	DATE	DR	REVISION

AREA	93.4	SQ MM
WEIGHT	0.253	KG M
PERIMETER	120.0	MM
ANOD PERIM	120.0	MM
PAINT PERIM	120.0	MM
C CIRCLE DIA	45.	MM
FACTOR	474.	
ALLOY	6063	
TEMPER	T6	



A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION			
CUSTOMER PART NAME		NO.	
40 X 20 X 1.6 ANGLE			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
2:1			
DRAWN	CHECK	DATE	DWG. NO.
A.T		06/03/87	901-100