



SECTION DATA:
 $I_{XX} = 23\,444 \text{ mm}^4$
 $I_{YY} = 92\,152 \text{ mm}^4$
 Theta = 71.0°
 RadG_x = 12. mm
 RadG_y = 23. mm
 X_{CLeft} = 47.1 mm
 X_{CRight} = 22.9 mm
 Y_{Ctop} = 32.1 mm
 Y_{Cbot} = 7.9 mm
 Z_{xx top} = 730 mm³
 Z_{xx bot} = 2 973 mm³
 Z_{yy left} = 1 956 mm³
 Z_{yy right} = 1 024 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			AREA	173.4	SQ MM
			WEIGHT	0.470	KG M
			PERIMETER	220.0	MM
			ANOD PERIM	220.0	MM
			PAINT PERIM	220.0	MM
			C CIRCLE DIA	81.	MM
			FACTOR	468.	
			ALLOY	6063	
			TEMPER	T6	
NO	DATE	DR	REVISION		

G. James Extrusion Co.
 A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION Co.			
CUSTOMER PART NAME		NO.	
70 x 40 x 1.6 ANGLE			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
1:1			
DRAWN	CHECK	DATE	DWG. NO.
JSO		11/01/93	901-200