



TOTAL SURFACE EXPOSED

SECTION DATA:
 $I_{xx} = 90\,281 \text{ mm}^4$
 $I_{yy} = 869\,681 \text{ mm}^4$
 Theta = 79.
 RadGx = 13. mm
 RadGy = 41. mm
 XQLeft = 79.2 mm
 XCRight = 45.8 mm
 YQtop = 41.7 mm
 YQbot = 8.3 mm
 $Z_{xx}^{\text{top}} = 2\,167 \text{ mm}^3$
 $Z_{xx}^{\text{bot}} = 10\,836 \text{ mm}^3$
 $Z_{yy}^{\text{left}} = 10\,985 \text{ mm}^3$
 $Z_{yy}^{\text{right}} = 1\,970 \text{ mm}^3$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

1	08/06/94	JSO	PERIMETER CORRECTED C/N 1603	AREA	516.0	SQ MM
				WEIGHT	1.398	KG M
				PERIMETER	350.0	MM
				ANOD PERIM	350.0	MM
				PAINT PERIM	350.0	MM
				C CIRCLE DIA	135.	MM
				FACTOR	250.	
				ALLOY	6063	
				TEMPER	T6	



A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION			
CUSTOMER PART NAME		NO.	
125 x 50 x 3 ANGLE			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
1:1			
DRAWN	CHECK	DATE	DWG. NO.
SPG		27/04/94	901-725