



SECTION DATA:
 $I_{xx} = 22\,927 \text{ mm}^4$
 $I_{yy} = 36\,396 \text{ mm}^4$
 Theta = 1.0
 RadG_x = 10. mm
 RadG_y = 12. mm
 X_{QLeft} = 15.0 mm
 X_{QRight} = 15.0 mm
 Y_{QTop} = 18.9 mm
 Y_{QBot} = 11.1 mm
 Z_{xxTop} = 1.216 mm³
 Z_{xxBot} = 2.058 mm³
 Z_{yyLeft} = 2.426 mm³
 Z_{yyRight} = 1.528 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

NO	DATE	DR	REVISION	AREA 252.0	SQ MM
				WEIGHT 0.683	KG M
				PERIMETER 174.0	MM
				ANOD PERIM 174.0	MM
				PAINT PERIM 174.0	MM
				C CIRCLE DIA 42.	MM
				FACTOR 255.	
				ALLOY 6063	
				TEMPER T6	



A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER G. JAMES EXTRUSION			
CUSTOMER PART NAME 30 x 30 x 3.0 CHANNEL		NO.	
SCALE 2:1		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
DRAWN SPG	CHECK	DATE 01/05/96	DWG. NO. 910-057