



SECTION DATA:  
 $I_{xx} = 43\,160 \text{ mm}^4$   
 $I_{yy} = 38\,458 \text{ mm}^4$   
 Theta = 0.  
 RadG<sub>x</sub> = 12. mm  
 RadG<sub>y</sub> = 11. mm  
 X<sub>Left</sub> = 14.0 mm  
 X<sub>Right</sub> = 14.0 mm  
 Y<sub>Top</sub> = 22.9 mm  
 Y<sub>Bot</sub> = 15.1 mm  
 Z<sub>xy top</sub> = 1 882 mm<sup>3</sup>  
 Z<sub>xy bot</sub> = 2 864 mm<sup>3</sup>  
 Z<sub>yl left</sub> = 2 747 mm<sup>3</sup>  
 Z<sub>yl right</sub> = 3 083 mm<sup>3</sup>

0.40 RADIUS ON ALL OUTSIDE CORNERS  
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

NO	DATE	DR	REVISION
			AREA <b>294.0</b> SQ MM WEIGHT <b>0.797</b> KG M PERIMETER <b>202.0</b> MM ANOD PERIM <b>202.0</b> MM PAINT PERIM <b>202.0</b> MM C CIRCLE DIA <b>47.</b> MM FACTOR <b>254.</b> ALLOY <b>6063</b> TEMPER <b>T6</b>



A.C.N 010 828 234  
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009  
 PO BOX 1376, EAGLE FARM BC, 4009  
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER <b>G. JAMES EXTRUSION CO.</b>			
CUSTOMER PART NAME <b>28 x 38 x 3.0 CHANNEL</b>		NO.	
SCALE <b>2:1</b>		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
DRAWN <b>SPG</b>	CHECK	DATE <b>29/08/96</b>	DWG. NO. <b>910-059</b>