



SECTION DATA:
 $I_{xx} = 573\,594 \text{ mm}^4$
 $I_{yy} = 751\,136 \text{ mm}^4$
 Theta = 1.0
 RadG_x = 22. mm
 RadG_y = 26. mm
 X_{Qleft} = 31.5 mm
 X_{Qright} = 31.5 mm
 Y_{Qtop} = 43.5 mm
 Y_{Qbot} = 26.5 mm
 Z_{xx top} = 13.173 mm
 Z_{xx bot} = 21.681 mm
 Z_{yy left} = 23.846 mm
 Z_{yy right} = 18.209 mm

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			AREA	1146.0	SQ MM
			WEIGHT	3.106	KG M
			PERIMETER	394.0	MM
			ANOD PERIM	394.0	MM
			PAINT PERIM	394.0	MM
			C CIRCLE DIA	94.	MM
			FACTOR	127.	
			ALLOY	6063	
			TEMPER	T6	
NO	DATE	DR	REVISION		


**G. James
Extrusion Co.**
 A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION Co.			
CUSTOMER PART NAME		NO.	
63 x 70 x 6 CHANNEL			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
1:1			
DRAWN	CHECK	DATE	DWG. NO.
JSO		03/03/94	910-170