



TOTAL SURFACE EXPOSED

SECTION DATA:
 $I_{xx} = 576 \text{ mm}^4$
 $I_{yy} = 16\,384 \text{ mm}^4$
 Theta = 1.0
 RadG_x = 2. mm
 RadG_y = 9. mm
 X_{Qleft} = 16.0 mm
 X_{Qright} = 16.0 mm
 Y_{Qtop} = 3.0 mm
 Y_{Qbot} = 3.0 mm
 Z_{xx top} = 192 mm³
 Z_{xx bot} = 192 mm³
 Z_{yy left} = 1 024 mm³
 Z_{yy right} = 36 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				AREA	192.0	SQ MM
				WEIGHT	0.520	KG M
				PERIMETER	76.0	MM
				ANOD PERIM	76.0	MM
				PAINT PERIM	100.0	MM
				C CIRCLE DIA	33.	MM
				FACTOR	146.	
				ALLOY	6063	
				TEMPER	T6	
NO	DATE	DR	REVISION			

G. James Extrusion Co.
 A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION Co.			
CUSTOMER PART NAME		NO.	
32 x 6 FLAT BAR			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
1:1			
DRAWN	CHECK	DATE	DWG. NO.
SPG		23/02/96	920-058