



SECTION DATA:
 $I_{xx} = 1\ 707\ \text{mm}^4$
 $I_{yy} = 42\ 667\ \text{mm}^4$
 Theta = 1.0
 RadG_x = 2. mm
 RadG_y = 12. mm
 X_{Qleft} = 20.0 mm
 X_{Qright} = 20.0 mm
 Y_{Qtop} = 4.0 mm
 Y_{Qbot} = 4.0 mm
 Z_{xx top} = 427 mm³
 Z_{xx bot} = 427 mm³
 Z_{yy left} = 2 133 mm³
 Z_{yy right} = 85 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			AREA 320.0 SQ MM WEIGHT 0.867 KG M PERIMETER 96.0 MM ANOD PERIM 96.0 MM PAINT PERIM 100.0 MM C CIRCLE DIA 41. MM FACTOR 111. ALLOY 6063 TEMPER T6	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION o.	
			CUSTOMER PART NAME NO. 40 x 8 FLAT BAR			
			SCALE 2:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
NO	DATE	DR	REVISION	DRAWN JSO	CHECK DATE 18/07/94	DWG. NO. 920-081