



TOTAL SURFACE EXPOSED

SECTION DATA:
 $I_{xx} = 65\,104 \text{ mm}^4$
 $I_{yy} = 260\,417 \text{ mm}^4$
 Theta = 1.0
 RadG_x = 7. mm
 RadG_y = 14. mm
 X_{Cleft} = 25.0 mm
 X_{Cright} = 25.0 mm
 Y_{Ctop} = 12.5 mm
 Y_{Cbot} = 12.5 mm
 Z_{xx top} = 5 208 mm³₃
 Z_{xx bot} = 5 208 mm³₃
 Z_{yy left} = 10 417 mm³₃
 Z_{yy right} = 2 604 mm³₃

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			AREA	1250.0	SQ MM
			WEIGHT	3.388	KG M
			PERIMETER	150.0	MM
			ANOD PERIM	150.0	MM
			PAINT PERIM	150.0	MM
			C CIRCLE DIA	56.	MM
			FACTOR	44.	
			ALLOY	6063	
			TEMPER	T6	
NO	DATE	DR	REVISION		



A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION o.			
CUSTOMER PART NAME		NO.	
50 x 25 FLAT BAR			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
1:1			
DRAWN	CHECK	DATE	DWG. NO.
SPG		26/02/96	920-114