



SECTION DATA:
 $I_{xx} = 11\,520 \text{ mm}^4$
 $I_{yy} = 512\,000 \text{ mm}^4$
 Theta = 1.0
 RadG_x = 3. mm
 RadG_y = 23. mm
 X_{Qleft} = 40.0 mm
 X_{Qright} = 40.0 mm
 Y_{Qtop} = 6.0 mm
 Y_{Qbot} = 6.0 mm
 Z_{xx top} = 1 920 mm³
 Z_{xx bot} = 1 920 mm³
 Z_{yy left} = 12 800 mm³
 Z_{yy right} = 288 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			AREA	960.0	SQ MM
			WEIGHT	2.602	KG M
			PERIMETER	184.0	MM
			ANOD PERIM	184.0	MM
			PAINT PERIM	184.0	MM
			C CIRCLE DIA	81.	MM
			FACTOR	71.	
			ALLOY	6063	
			TEMPER	T6	
NO	DATE	DR	REVISION		



A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION Co.			
CUSTOMER PART NAME		NO.	
80.0 x 12.0 FLAT BAR			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
1:1			
DRAWN	CHECK	DATE	DWG. NO.
SPG		07/07/95	920-152