



SECTION NO.  
921-040



MOMENTS OF INERTIA:  
 $I_{xx} = 676 \text{ mm}^4$   
 $I_{yy} = 29111 \text{ mm}^4$

f = full radius

0.40 RADIUS ON ALL OUTSIDE CORNERS  
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				AREA 232.3 SQ MM WEIGHT 0.629 KG M PERIMETER 86.8 MM ANOD PERIM 86.8 MM PAINT PERIM 100.0 MM C CIRCLE DIA 40 MM FACTOR 138 ALLOY 6060 TEMPER T5	 <p>G. James Extrusion Co.</p> <p>A.C.N 010 828 234          1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009          PO BOX 1376, EAGLE FARM BC, 4009          PHONE : (07) 3877 2833 FAX : (07) 3877 2890</p>	CUSTOMER		G. JAMES EXTRUSION	
				CUSTOMER PART NAME NO.		40 x 6 FLAT FULL RAD CNRS			
				SCALE		2:1		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
				DRAWN		CHECK		DATE	
				SPG				09/05/94	
								DWG. NO.	
								921-040	
NO	DATE	DR	REVISION						