



SECTION NO.
921-150



MOMENTS OF INERTIA:
 $I_{XX} = 132 \text{ mm}^4$
 $I_{YY} = 52300 \text{ mm}^4$

f = full radius

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				AREA 178.1 SQ MM WEIGHT 0.483 KG M PERIMETER 123.4 MM ANOD PERIM 123.4 MM PAINT PERIM 123.4 MM C CIRCLE DIA 60 MM FACTOR 256 ALLOY 6060 TEMPER T4	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION Co.	
				CUSTOMER PART NAME NO. 60 x 3.0 FLAT BAR RAD. CNRS.			
				SCALE 2:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
NO	DATE	DR	REVISION	DRAWN SPG	CHECK	DATE 04/02/97	DWG. NO. 921-150