



NO EXPOSED SURFACE

SECTION DATA:  
 $I_{XX} = 1\,396 \text{ mm}^4$   
 $I_{YY} = 244\,047 \text{ mm}^4$   
 $\text{Theta} = 1.0$   
 $\text{RadG}_x = 2. \text{ mm}$   
 $\text{RadG}_y = 23. \text{ mm}$   
 $X_{\text{CRight}} = 40.00 \text{ mm}$   
 $X_{\text{CLeft}} = 40.00 \text{ mm}$   
 $Y_{\text{Ctop}} = 3.00 \text{ mm}$   
 $Y_{\text{Cbot}} = 3.00 \text{ mm}$   
 $Z_{xx\text{top}} = 465 \text{ mm}$   
 $Z_{xx\text{bot}} = 465 \text{ mm}$   
 $Z_{yy\text{right}} = 6\,101 \text{ mm}$   
 $Z_{yy\text{left}} = 6\,101 \text{ mm}$

f = full radius

0.40 RADIUS ON ALL OUTSIDE CORNERS  
 UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				472.3 1.280 166.8 166.8 166.8 (0.0) 80. 130. 6063 T5		G. JAMES EXTRUSION Co.		
						80 x 6 FLAT BAR RAD-CNRS		
						1:1		
						PDG	26/11/88	921-200