



SECTION DATA:
 $I_{xx} = 13\,731 \text{ mm}^4$
 $I_{yy} = 13\,731 \text{ mm}^4$
 Theta = 1.0
 RadG_x = 10. mm
 RadG_y = 10. mm
 X_{Left} = 12.5 mm
 X_{Right} = 12.5 mm
 Y_{Top} = 12.5 mm
 Y_{Bot} = 12.5 mm
 Z_{xx top} = 1.098 mm³
 Z_{xx bot} = 1.098 mm³
 Z_{yy left} = 1.098 mm³
 Z_{yy right} = 1.098 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
 UNLESS OTHERWISE SPECIFIED
 EXTRUDED FINISH : ARCHITECTURAL

A			
NO	DATE	DR	REVISION
AREA	149.8	SQ MM	
WEIGHT	0.406	KG M	
PERIMETER	187.2	MM	
ANOD PERIM	100.0	MM	
PAINT PERIM	100.0	MM	
C CIRCLE DIA	35.	MM	
FACTOR	461.		
ALLOY	6063		
TEMPER	T6		

G. James Extrusion Co.
 A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION Co.			
CUSTOMER PART NAME NO.			
25 x 1.6 SQUARE BOX			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
2:1			
DRAWN	CHECK	DATE	DWG. NO.
PS		20/01/92	930-029