



SECTION NO.
940-040



EXPOSED SURFACE
ACTUAL SIZE

SECTION DATA:
 $I_{xx} = 8\,744 \text{ mm}^4$
 $I_{yy} = 44\,014 \text{ mm}^4$
 $\text{Theta} = 1.0^\circ$
 $\text{RadG}_x = 6. \text{ mm}$
 $\text{RadG}_y = 12. \text{ mm}$
 $\text{XC}_{\text{Left}} = 19.0 \text{ mm}$
 $\text{XC}_{\text{Right}} = 19.0 \text{ mm}$
 $\text{YC}_{\text{Top}} = 7.5 \text{ mm}$
 $\text{YC}_{\text{Bot}} = 7.5 \text{ mm}$
 $Z_{xx\text{top}} = 1\,166 \text{ mm}^3$
 $Z_{xx\text{bot}} = 1\,166 \text{ mm}^3$
 $Z_{yy\text{left}} = 2\,317 \text{ mm}^3$
 $Z_{yy\text{right}} = 460 \text{ mm}^3$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			A	AREA 282.0 SQ MM WEIGHT 0.764 KG M PERIMETER 188.0 MM ANOD PERIM 106.0 MM PAINT PERIM 106.0 MM C CIRCLE DIA 41. MM FACTOR 246. ALLOY 6063 TEMPER T6	 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER G. JAMES EXTRUSION Co.			
						CUSTOMER PART NAME NO. 38 x 15 x 3 RECT. BOX			
					SCALE 2:1		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
NO	DATE	DR	REVISION			DRAWN RB	CHECK	DATE 31/05/90	DWG. NO. 940-040