



SECTION DATA:
 $I_{xx} = 52\,979 \text{ mm}^4$
 $I_{yy} = 159\,499 \text{ mm}^4$
 Theta = 1.0
 RadG_x = 12. mm
 RadG_y = 22. mm
 XQ_{left} = 30.0 mm
 XQ_{right} = 30.0 mm
 YO_{top} = 15.0 mm
 YO_{bot} = 15.0 mm
 Z_{xx}top = 3 532 mm³
 Z_{xx}bot = 3 532 mm³
 Z_{yy}left = 5 317 mm³
 Z_{yy}right = 1 766 mm³

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

NO	DATE	DR	REVISION
			A

AREA	344.0	SQ MM
WEIGHT	0.932	KG M
PERIMETER	344.0	MM
ANOD PERIM	180.0	MM
PAINT PERIM	180.0	MM
C CIRCLE DIA	67.	MM
FACTOR	369.	
ALLOY	6063	
TEMPER	T6	



A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G. JAMES EXTRUSION Co.			
CUSTOMER PART NAME		NO.	
60.0 x 30.0 x 2.0 RECT. BOX			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
2:1			
DRAWN	CHECK	DATE	DWG. NO.
SPG		23/06/95	940-079