



TOTAL SURFACE EXPOSED

SECTION DATA:

 $I_{xx} = 2\,463\,865 \text{ mm}^4$ $I_{yy} = 7\,451\,102 \text{ mm}^4$ Theta = 1.0° RadG_x = 31 mmRadG_y = 54 mmXC_{Right} = 76.00 mmXC_{Left} = 76.00 mmYC_{top} = 38.00 mmYC_{bot} = 38.00 mmZ_{xx}_{top} = 64 839 mm³Z_{xx}_{bot} = 64 839 mm³Z_{yy}_{right} = 98 041 mm³Z_{yy}_{left} = 98 041 mm³

a = 2.00 radius

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

A

AREA	2564.5	SQ MM
WEIGHT	6.950	KG M
PERIMETER	850.3	MM
ANOD PERIM	445.7	MM
PAINT PERIM	445.7 (0.0)	MM
C CIRCLE DIA	166	MM
FACTOR	122	
ALLOY	6063	
TEMPER	T6	

 **G. James
Extrusion Co.**

A.C.N 010 828 234

1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009

PO BOX 1376, EAGLE FARM BC, 4009

PHONE : (07) 3877 2833 FAX : (07) 3877 2890

© COPYRIGHT 2004
THIS DRAWING IS THE PROPERTY OF
G. JAMES EXTRUSION CO. PTY LTD
ALL RIGHTS RESERVED

CUSTOMER

G. JAMES EXTRUSION Co.

CUSTOMER PART NAME

NO.

152 x 76 x 6 RECT. BOX R/C

SCALE

1:1

TOLERANCES IN ACCORDANCE WITH AS/NZS 1866:1997
APPLY UNLESS OTHERWISE SPECIFIED

DRAWN

SPG

CHECK

DATE

15/07/94

DWG. NO.

941-390

1 28/07/94 SPG R 6.00 R 2.00 WERE R 12.00 R 6.00

NO DATE DR REVISION